

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/835,711	04/16/2001	Kia Silverbrook	360040-21	7729
75	7590 08/27/2004		EXAMINER	
Kia Silverbrook			LIANG, LEONARD S	
393 Darling Str Balmain, NSW.			ART UNIT	PAPER NUMBER
AUSTRALIA	, 2041		2853	
			DATE MAILED: 08/27/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

			M
	Application No.	Applicant(s)	
	09/835,711	SILVERBROOK, KIA	
Office Action Summary	Examiner	Art Unit	
	Leonard S Liang	2853	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet wit	n the correspondence address	
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a re reply within the statutory minimum of thirty riod will apply and will expire SIX (6) MONT atute, cause the application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 0 This action is FINAL . 2b) □ Since this application is in condition for allo closed in accordance with the practice under the condition of the closed in accordance.	This action is non-final. wance except for formal matte	• •	
Disposition of Claims			
4) ☐ Claim(s) <u>155-161 and 163-170</u> is/are pendidudiant day of the above claim(s) is/are with the state of the above claim(s) is/are allowed. 5) ☐ Claim(s) <u>155-158,160,161,163-168 and 17</u> 7) ☐ Claim(s) <u>159 and 169</u> is/are objected to. 8) ☐ Claim(s) are subject to restriction and 17	drawn from consideration. O is/are rejected.		
Application Papers			
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the cor 11) The oath or declaration is objected to by the	accepted or b) objected to be the drawing(s) be held in abeyand rrection is required if the drawing(s)	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority document	nents have been received. nents have been received in Appriority documents have been reau (PCT Rule 17.2(a)).	oplication No received in this National Stage	
Attachment(s)	A) [] Intonion: S	ummary (PTO-413)	
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SE Paper No(s)/Mail Date) Paper No(s)/Mail Date formal Patent Application (PTO-152)	

DETAILED ACTION

Claim Objections

Claim 159 is objected to because of the following informalities: Claim 159 discloses, "power and ground interconnect means on a first side of the TAB film, the power and ground interconnect mean..." It will be construed that the claim should state "power and ground interconnect means on a first side of the TAB film, the power and ground interconnect means...". Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 155-156, 160-161, 164-165, 167-168, and 170 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackleman et al (US Pat 5600354) in view of Grande et al (US Pat 6037957).

Hackleman et al discloses:


• {claim 155} An inkjet printhead assembly (figure 1); a longitudinally extending inkjet printhead, including a plurality of longitudinally spaced apart power supply points and a plurality of longitudinally spaced apart ground supply points (figure 7, reference 164, 166, 168; column 8, line 58-column 9, line 10); at least one longitudinally extending power busbar (figure 7, reference 160); at least one

Application/Control Number: 09/835,711

Art Unit: 2853

longitudinally extending ground busbar (figure 7, reference 162); interconnect means configured to connect a plurality of the power supply points to the at least one power busbar and a plurality of the ground supply points to the at least one

Page 3



ground busbar (figure 7, reference 160, 162, 164, 166, 168)

- {claim 156} wherein the busbars extend parallel to the inkjet printhead and the interconnect means extend generally transversely between the busbars and the respective power and ground supply points (figure 7, reference 160, 162, 164, 166, 168)
- {claim 160} wherein the interconnect means also includes a plurality of control lines configured to provide the inkjet printhead with control data from a print controller (abstract)
- {claim 161} wherein the interconnect means is in the form of one or more printed circuit boards connected directly to the busbars, with wire bonds connecting the printed circuit boards to the printhead (figure 7)
- {claim 164} wherein the inkjet printhead has a plurality of nozzle arrangements, each of which includes a thermal bend actuator device for ejection of ink from a corresponding nozzle

Art Unit: 2853

- {claim 165} including an associated ink supply unit for delivering ink to ink supply passages formed in the printhead (column 1, lines 13-37)
- {claim 167} wherein each of the busbars comprises a mechanically stiff conductive rail (figure 7, reference 160, 162)
- {claim 168} wherein the interconnect means includes a flexible portion that connects with the inkjet printhead (figure 7, reference 138}
- {claim 170} comprising at least two of the power supply points, wherein the inkjet printhead comprises at least two printhead chips, the inkjet printhead assembly being configured such that each of the at least two power supply points is supplied with power from a different one of the power supply points (figure 7, reference 164; additional power supply points drawn in)

Hackleman et al differs from the claimed invention in that it does not disclose:

{claim 158} wherein the interconnect means is configured such that it need only
 be connected to the printhead along one edge thereof

Grande et al discloses:

• {claim 158} wherein the interconnect means is configured such that it need only be connected to the printhead along one edge thereof (figure 4, reference 65, 66)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the teachings of Grande et al into the invention of Hackleman et al. The motivation for the skilled artisan in doing so is to gain the benefit of providing a large power supply system in a cost-effective, compact, and manufacturable manner that does not force compromise in system design (column 1, lines 60-63).

Application/Control Number: 09/835,711

Claims 157-158 and 166 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackleman et al (US Pat 5600354) in view of Grande et al (US Pat 6037957), as applied to claims 155-156, 160-161, 164-165, 167-168, and 170 above, and further in view of Childers (US Pat 5471163).

Hackleman et al, as modified, discloses:

• {claim 166} the ink supply unit including: a slot for insertion of the printhead; and a series of elongated chambers for the storage of separate color inks, the chambers being interconnected with the slot for the supply of ink to the printhead (figure 1, reference 10, 12, 14, 16, 18, 20); wherein the busbars are disposed along the ink supply unit (figure 7, reference 160, 162)

Hackleman et al, as modified, differs from the claimed invention in that it does not disclose:

- {claim 157} the interconnection means includes at least one tape automated bonded film
- {claim 158} wherein the TAB film electrically connects with the busbars by
 means of correspondingly sized noble metal deposited strips formed on the TAB
 film
- {claim 166} the interconnect means take the form of a tape automated bonding strip similarly disposed along an outside of the ink supply unit, the TAB strip including a series of control lines along one surface thereof for mating with a corresponding external series of control lines for receiving control signals from a

Application/Control Number: 09/835,711

Art Unit: 2853

print controller, the TAB strip further having a repeating series of interconnects to the inkjet printhead, the interconnects interconnecting the control lines and the busbars to the printhead

Page 6

Childers discloses:

- {claim 157} the interconnection means includes at least one tape automated bonded film (column 2, lines 1-8; column 5, lines 32-43)
- {claim 158} wherein the TAB film electrically connects with the busbars by means of correspondingly sized noble metal deposited strips formed on the TAB film (column 2, lines 41-56)
- {claim 166} the interconnect means take the form of a tape automated bonding strip similarly disposed along an outside of the ink supply unit, the TAB strip including a series of control lines along one surface thereof for mating with a corresponding external series of control lines for receiving control signals from a print controller, the TAB strip further having a repeating series of interconnects to the inkjet printhead, the interconnects interconnecting the control lines and the busbars to the printhead (column 2, lines 1-8; column 5, lines 32-43)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to replace the flexible circuit of Hackleman with the TAB circuit of Childers. The motivation for the skilled artisan in doing so is to gain the benefit of enabling encoding of machine readable information on the flexible tab circuit (column 2, lines 1-9).

Claim 163 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackleman et al (US Pat 5600354) in view of Grande et al (US Pat 6037957), as applied to claims 155-156, 160-161, 164-165, 167-168, and 170 above, and further in view of White et al (US Pat 5494698).

Hackleman et al, as modified, teaches all limitations of the claimed invention except for the following:

• {claim 163} wherein the inkjet printhead is in the form of a plurality of printhead chips manufactured by a MEMS processing technique

White et al discloses:

• {claim 163} wherein the inkjet printhead is in the form of a plurality of printhead chips manufactured by a MEMS processing technique (column 2, lines 25-29)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the teachings of White et al into the invention of modified Hackleman. The motivation for the skilled artisan in doing so is to gain the benefit of reducing scarring and chipping (column 2, lines 25-29).

Allowable Subject Matter

Claims 159 and 169 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claim 159 discloses "wherein the at least one TAB film is double-sided and includes: power and ground interconnect means on a first side of the TAB film, the power and ground interconnect means connecting said busbars and their corresponding power and ground supply

points; and control line interconnect means on the other side of the TAB film, the control line interconnect means being configured to provide the inkjet printhead with control data from a print controller," which was not found, taught, or disclosed in the prior arts.

Claim 169 discloses "wherein said ink supply unit includes a series of positioning protuberances for accurately locating the power supply busbars and/or interconnect means therewith," which was not found, taught, or disclosed in the prior arts.

Response to Arguments

Applicant's arguments, see Applicant Arguments, filed 08/09/04, with respect to claims 155-161 and 163-170 have been fully considered and are persuasive. The final rejection of 07/14/04 has been withdrawn.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Torgerson et al (US Pat 6398347) discloses an energy balanced ink jet printhead.

Parish (US Pat 6616268) discloses a power distribution architecture for inkjet heater chip.

Anderson et al (US Pat 6575562) disc performance inkjet printhead chip layouts and assemblies.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonard S Liang whose telephone number is (571) 272-2148. The examiner can normally be reached on 8:30-5 Monday-Friday.

Art Unit: 2853

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LSL

lsl

Stephen D. Meier Primary Examiner